hydrobiologia volume 306 (1995), contents

no. 1

Particulate lipid class composition of three marine phytoplankters *Chaetoceros gracilis, Isochrysis galbana* (Tahiti) and *Dunaliella tertiolecta* grown in batch culture
by A.T. Lombardi & P.J. Wangersky 1–6

Benthic algal populations respond to aluminum, acid, and aluminum-acid mixtures in artificial streams
by R.B. Genter 7–19

The influence of macrophytes on a phytoplankton community in experimental conditions
by I. Jasser 21–32

Occurrence of an alternative pathway in the larval development of the crab *Chasmagnathus granulata* Dana, 1851 under laboratory conditions
by D. Pestana & A. Ostrensky 33–40

Salinity and dissolved substances in the Vaal River at Balkfontein, South Africa
by J.C. Roos & A.J.H. Pieterse 41–51

Macrobenthic infauna of mangroves and surrounding beaches at Gazi Bay, Kenya
by J. Schrijvers, D. Van Gansbeke & M. Vincx 53–66

Abundance and distribution of inshore fish in fished and protected areas in Lake Kariba, Zimbabwe
by R.A. Sanyanga, C. Machena & N. Kautsky 67–78

Book reviews 79–83

no. 2

Seasonal changes in composition and biomass of epiphytic algae on the macrophyte *Ranunculus penicillatus* in a chalk stream, with estimates of production, and observations on the epiphytes of *Cladophora glomerata*
by L. Shamsudin & M.A. Sleigh 85–95

Demography and population growth of *Asplanchna girodi* (Rotifera) as a function of prey (*Anuraeopsis fissa*) density
by H.J. Dumont & S.S.S. Sarma 97–107

Effects of arsenate and copper on the algal communities in polluted lakes in the northern parts of Sweden assayed by PICT (Pollution-Induced Community Tolerance)
by S.-Å. Wängberg 109–124

The retention of particles intercepted by a dense aggregation of lake-outlet suspension feeders
by R.S. Wotton, B. Malmqvist & K. Ashelford 125–129

Paleopigment evidence of competition between phytoplankton and a cyanobacterial algal mat in a meromictic lake near Toronto, Ontario, Canada
by M. Dickman & X. Han 131–146

Seasonal variation in abundance and size structure of phytoplankton in Baie des Chaleurs, southwestern Gulf of St. Lawrence, in relation to physical oceanographic conditions
by M.R. Claereboudt, J. Côté, J.C. Bonardelli & J.H. Himmelman 147–157
Changes in benthic community composition in response to reservoir aging
by A. Popp & K.D. Hoagland 159–171

Books received 173–174

Books reviews 175–178

no. 3

Influence of grazer type and abundance on plant–herbivore interactions in streams
by G.A. Lamberti, S.V. Gregory, L.R. Ashkenas, J.L. Li, A.D. Steinman & C.D. McIntire 179–188
Food consumption and faecal deposition of plant nutrients by black swans (*Cygnus atratus* Latham) in a shallow New Zealand lake
by S.F. Mitchell & R.T. Wass 189–197
Dormancy in the Copepoda – an overview
by H.-U. Dahms 199–211
Synoptic limnology of a diverse geological region: catchment and water chemistry
by C.E. Gibson, Y. Wu, S.J. Smith & S.A. Wolfe-Murphy 213–227
Joint and single toxicity of Cd and Fe related to metal uptake in the mayfly *Leptophlebia marginata* (L.) (Insecta)
by A. Gerhardt 229–240
Breakdown and detritivore colonisation of leaves in three New Zealand streams
by W. Linklater 241–250

Book reviews 251–256

Erratum 257–259

Announcements 261–262

Author index 263